

documenting school and class participation, presenting and administering the GYTS to the students, and materials needed for survey administration.

The survey procedure employed allowed for students' voluntary participation, anonymity, and privacy.

The Survey Administrators were selected mainly from the staff of the Division of Health Sciences Education. They were assigned to specific schools and were responsible for the delivery and collection of all survey documentation forms, Answer Sheets, Header Sheets, and Questionnaires.

Two forms were provided for each selected school – the School-Level Form and the Classroom Level Form. These two forms provided the necessary identification information and were the primary data management forms.

The School-Level Form contained the Coordinating Agency, the School name, the sample size, and the School ID (this was supplied by the OSH/CDC). The grades taught and the grades surveyed in the school, as well as the total number of eligible classes, were filled in by the Survey Administrator. A list of random numbers was supplied by OSH/CDC and appeared just above the Class Tracking information. The Survey Administrator was expected to fill in the Class Tracking information. This contained a grid that was used to catalogue the completion status of each selected class.

The Classroom Level Form also showed the Coordination Agency (Guyana), the School name, the sample, the School ID and the Class ID. This information was previously entered by the OSH/CDC. Only one copy of the Classroom Level Form was provided by OSH/CDC. Additional copies were provided by the Coordinating Agency and each class participating in the selected school was given one. The Survey Administrator entered the number of students who were enrolled in the classes and the number of students who actually participated in the survey. All students in the selected classes were eligible for participation.

The Answer Sheet and the Header Sheet were also provided by OSH/CDC. One Answer Sheet was given to each student. Students were not required to write their names on the Answer Sheet, or provide any other kind of identifying information. This answer sheet on which students were asked to record their responses was machine-readable. A Header Sheet was completed for each participating class in each school and showed the School ID (from the School Level Form) and the Class ID (from the Classroom Level Form).

Instructions were provided to the Survey Administrator for procedures to be followed prior to, during and after the survey in the classroom. Before the start of the survey a script of instructions for students was read.

Each of the ten Survey Administrators was assigned to five schools and each had the responsibility to collect the enrolment data of all the classes in Forms II, III, and IV in each school and transmit such information to the Research Coordinator by hand or by phone so as to confirm the selection of the correct class or classes to be interviewed. The administration of the questionnaire, documentation of the class and school participation, and the security of the Answer Sheets were the assigned responsibility of the Survey Administrators. The Research Coordinator undertook the responsibility of the final editing and package of the Answer Sheets, the Header Sheets, the Classroom-Level Forms, and the School-Level Forms. This was done simply to establish quality data management throughout the data gathering process.

RESULTS

Forty-three (43) of the 50 sampled schools participated in this survey. Out of the 1256 sampled students, 906 responded to the questionnaires. This gave an overall response rate of 62.04%. There were 334 (40.2%) male students and 484 (59.8%) female students, with 205(23.3%) in Form II, 271(36.4%) in Form III, and 363 (40.3%) in Form IV.

Table 1: Study sample size and response rate among school and students – 2000 Guyana GYTS

No. of schools in the sample	No. of schools participating	Response rate of schools	No. of students selected	No. of students participated	Response rate of students	Overall response rate
50	43	86%	1256	906	72.13%	62.04%

The following table shows the percentage of students who participated in the survey, according to age, gender and class-level:

Table 2: Background information of students – 2000 Guyana GYTS

AGE (Years)	<11 & 11	12	13	14	15	16	17+	MALE	FEMALE	FORM II	FORM III	FORM IV
TOTAL	3.1	4.8	14.8	26.6	30.6	15.7	4.3	40.2	59.8	23.3	36.4	40.3
MALE	4.3	5.3	15.6	24.4	26.8	18.4	5.2	100	0	29.7	32.8	37.5
FEMALE	1.2	1.9	14.5	29.7	34.7	14.5	3.4	0	100	19.0	36.9	44.1
Form II	8.0	9.7	54.0	22.1	3.4	1.3	1.6	51.8	48.2	100	0	0
Form III	2.5	2.5	6.1	55.8	28.1	4.5	0.5	38.0	62.0	0	100	0
Form IV	0.2	1.4	1.4	6.5	51.6	30.1	8.9	37.0	63.0	0	0	100
AGE12yrs	39.4	60.6	0	0	0	0	0	67.1	32.0	62.2	28.1	9.8
13yrs	0	0	100	0	0	0	0	41.7	58.3	81.7	14.8	3.6
14 yrs	0	0	0	100	0	0	0	35.4	64.6	18.0	72.8	9.2
15 yrs	0	0	0	0	100	0	0	33.9	66.1	2.4	32.5	65.0
16 yrs	0	0	0	0	0	78.4	21.6	46.7	53.3	3.6	10.3	86.1

For the purpose of analysis, three main categories of students were identified in this survey: never smokers, ever smokers and current smokers.

Never smokers are those students who have *not* admitted to, or have *never* tried or experiment with cigarette smoking, even one or two puffs. There were 567 (70.5%) students who can be associated with this category.

Ever smokers are all those students who have admitted to have ever tried or experimented with cigarette smoking, even one or two puffs. There were 264 (29.5%) students who are identified with this category.

Current smokers are those students who have smoked on one or more days during the 30 days before the survey. There were 79 (8.7%) students in this category.

Prevalence

It can be observed that among ever smokers there were more males (36.7%) than females (22.2%) who have tried or experimented with cigarettes, most in Form II (33.1%) and among 12 year-olds. About 40% of ever smokers had their first cigarette before the age of 10 years.

About 2% students said they smoked occasionally, but less than once per month; 1.9% students smoked some time each month but less than one cigarette per week; 1.4% students smoked some time each week but less than one cigarette per day. Only 0.9% students smoked every day at least one cigarette.

Current smokers were about 9%. There were twice more males than females, almost the same percentage for Forms II, III, and IV, but highest among 12 year-olds than in any other age groups. A breakdown shows that during the past 30 days (one month), at the time of the survey,

only 0.6% students smoked on all 30 days, 6% smoked for 1 or 2 days in the month, 1.4% smoked for 3 to 5 days, and <1% smoked in as much as 6 to 29 days.

**Table 3: Percentage prevalence of tobacco use among students aged 13 – 15 years – 2000
Guyana GYTS**

	Smoked cigarettes, even one or two puffs	Current Use			Smoked cigarettes first before age of 10 years
		Cigarettes	Other tobacco products	Any tobacco product	
TOTAL	29.5	8.7	9.9	16.9	40.3
MALE	36.7	11.1	12.6	21.1	35.7
FEMALE	22.2	5.5	6.0	10.8	35.1
Form II	33.1	7.7	13.0	18.0	50.3
Form III	26.5	8.7	8.2	15.8	36.4
Form IV	30.0	7.6	8.8	15.5	36.0
AGE 12 yrs.	36.3	19.1	19.9	32.1	58.4
13 yrs.	29.3	9.0	13.8	20.1	55.5
14 yrs.	23.3	5.3	5.2	10.1	32.8
15 yrs.	29.0	10.4	8.6	17.5	35.1
16 yrs.+	31.6	6.1	6.9	12.2	35.0

Over the same period (30 days), while 5.1% students have smoked less than one cigarette per day, 1.2% students claimed to have smoked more than 20 cigarettes (1 pack) per day. Only 1.3% students claimed to have smoked more than 100 cigarettes (5 or more packs) for their entire life, while 26.4% students invariably had 1 or 2 puffs to 99 cigarettes.

Access and Availability

About 73% of current smokers bought cigarettes in the past 30 days but were not refused because of their age. Percentages of male and female smokers were about the same but the older students (16 year-olds – 86%) in the upper classes (Form IV – 84.7%) ranked the highest.

More than half (53.2%) of current smokers usually smoke at home, far more females (80.5%) than males (38.0%), more students in Form II (71.3%) and Form III (66.0%) than in Form IV (41.4%), and highest among 14 year-olds (86.0%) than other age groups, although 12 year-olds (74.6%) and 15 year-olds (68.5%) were also significant.

About 15% of current smokers usually smoke at friend's home, nearly 3 times more males than females, especially from Form IV, and from the over 16 year olds. Those who smoked at social events (8.2%) were mostly the 16 year olds, especially from Form IV. And those who smoked in public places (13.3%) were 6 times more males than females, mostly in Form IV and among the 16 year olds. The percentage of current smokers who usually smoke at school was very small (4%).

Again, for ever smokers, the pattern was the same as current smokers. The home was the most frequent place where 11.4% students smoked. The next best place was at a friend's house where 3.4% students did so. Others preferred public places, such as parks, shopping centres or street corners 2.3% while 1.1% students preferred to smoke at social events. Of the 1.4% students who smoked at school, there were more males than females, more in Form II than in Form III or IV and more among 12 year olds than in any other age groups

Table 4: Percentage of current smokers aged 13 – 15 years who usually smoke at home and other places – 2000 Guyana GYTS

	Usually smoke at home	Usually smoke at school	Usually smoke at friend's house	Usually smoke at social events	Usually smoke in public places
TOTAL	53.2	4.0	14.6	8.2	13.3
MALE	38.0	3.4	21.1	7.1	19.7
FEMALE	80.5	3.6	7.5	5.3	3.2
Form II	71.3	0	8.7	0	9.7
Form III	66.0	3.3	12.6	5.1	13.1
Form IV	41.4	3.3	19.4	6.7	19.6
AGE 12 yrs.	74.6	0	0	0	25.4
13 yrs.	31.5	0	20.7	0	25.4
14 yrs.	86.0	0	6.4	0	0
15 yrs.	68.5	8.3	8.3	8.3	6.7
16 yrs.+	0	0	27.6	30.9	28.4

Bristol was the most popular brand of cigarette smoked by 7.7% students. The next most popular brand was Benson & Hedges (2% students). Other brands such as 555, MORE, Rothman's were less popular, perhaps because they were more costly and less accessible than Bristol or Benson & Hedges.

A little more than half the numbers (10.3%) of students who ever smoked did not buy cigarettes or did not buy them in packs. Of the 9.2% students who bought cigarettes, 3.2% spent less than \$120 for a pack of 20 cigarettes, 3.5% spent \$120 to \$140, 0.4% spent \$140 to \$160, 0.5% spent \$161 to \$200, 0.4% spent \$201 to \$260, and 1.2% spent more than \$260. The 6.7% students who did not spend more than \$140 on a pack of 20 cigarettes could only purchase the popular brand, Bristol, for that amount of money, or "no usual brand" that 3.7% students claimed that they smoked, or they might simply buy "loose" or single cigarettes.

More so, 32.2% students claimed that they received no pocket money (allowance) and 10.4% received less than \$180 per month. In other words, 42.6% students or less could afford one pack of Bristol cigarettes per month, providing all the pocket allowance was spent on cigarettes only.

Then how did students usually get their own cigarettes? During a month period (30 days), current smokers obtained their cigarettes in the following manner:

28.2% claimed to have bought their cigarettes in a store, shop or from a street vendor,

20.9% said an older person gave them the cigarettes,

18.6% stole the cigarettes,

12.4% borrowed the cigarettes from someone,

7.2% gave someone else money to buy the cigarettes.

9.4% got their cigarettes some other way.

Table 5: Percentage of current smokers aged 13 – 15 years who bought cigarettes from a store – 2000 Guyana GYTS

	Cigarettes not refused in a store because of being under-age	Cigarettes bought in a store	Got someone to buy their cigarettes	Borrowed their own cigarettes from someone else	Stole their own cigarettes	Obtained their own cigarettes from an older person	Obtained their own cigarettes some other way
TOTAL	73.2	28.2	7.2	12.4	18.6	20.9	9.4
MALE	71.5	20.2	10.8	8.0	12.4	27.3	17.6
FEMALE	68.6	31.1	3.4	14.8	32.0	15.1	3.6
Form II	42.0	8.8	25.6	23.8	25.3	7.7	0
Form III	80.8	35.9	0	3.1	23.6	24.9	12.4
Form IV	84.7	27.4	6.9	20.3	12.0	18.3	15.1
AGE 12yrs.	54.9	37.6	20.7	10.8	24.3	6.5	0
13yrs.	70.8	31.0	9.0	17.5	21.4	10.6	0
14yrs.	68.3	24.7	5.5	5.9	19.4	19.6	24.9
15yrs.	78.9	23.4	4.0	13.5	20.9	21.5	11.2
16yrs.+	86.0	25.4	0	16.5	6.8	42.8	8.5

The pattern was the same for *ever smokers*.

More students (8.2%) who were ever smokers said their age did not keep them from buying cigarettes than those (4.5%) who said they tried to buy cigarettes but were refused on the grounds of their age. In the areas where they live, 83.9% of all students interviewed knew of places that sold single or loose cigarettes. For current smokers, 73.2% bought cigarettes and were not prevented because of their age.

During the 30-day period, 9.9% students admitted to have used any form of tobacco products other than cigarettes.

A little more than 3% students said that although they smoked they have never drunk alcohol. About 1% students said that they were likely to smoke more when they drunk alcohol but 2.2% said that they tended to smoke less; 1.1% said they smoked about the same when they drunk alcohol.

Knowledge and Attitude

Many students (57.3%) had parents who did not smoke while 5.0% had both parents smoking. More fathers than mothers tended to smoke: 25.4% fathers to 2.8% mothers. This

represented 33.1% students or one-third of the students interviewed who were exposed to smoking at home.

Many students (14.8%) believed that their parents (grandparents, guardians) did not know that they smoked while 3.3% said that their parents were aware of their smoking.

On the question about the harmful effects of smoking, 67.7% students said that a family member had discussed the harmful effects of smoking with them but 32.3% students said no one ever did so. A large percentage (69.5%) of never smokers had a family member who had discussed the harmful effects of smoking. Among current smokers, 63.0% said they had such advice.

Once someone has started smoking, 24.7% students thought that it would not be difficult to quit, while 30.9% believed that it would be difficult; 44.4% were uncertain.

Some students (27.4%) believed that boys who smoked cigarettes would have more friends but 37.5% said they would have fewer friends. However, 35.1% suggested that it did not matter, for boys who smoked were in no way different from boys who did not smoke. On the other hand, 15.4% students felt that girls who smoked tended to have more friends while 61.0% thought that they would have fewer friends; 23.6% saw no difference from non-smokers.

When boys smoked cigarettes, 8.4% students said that boys looked more attractive but 73.3% thought that they looked less attractive; 18.3% said there was no difference from non-smokers.

However, when girls smoked, 6.6% students thought that girls looked more attractive but 77.8% felt that they looked less attractive; 15.7% saw no difference from non-smokers. When at celebrations, parties, or in social gatherings, 27.3% students believed that smoking cigarettes helped people to feel more comfortable; 44.9% felt that it made them less comfortable; 27.8% saw no difference from non-smokers.

A large percentage (46.39%) of students believed that smoking cigarettes could make you lose weight. Only 5.5% believed it could make you gain weight; 48.3% saw no difference. At the same time, 659(77.6%) students agreed that cigarette smoking is harmful to your health, while 9.8% felt that this might not be so; 12.6% were uncertain.

Only 2.0% students said that all of their closest friends smoked, while 72.9% said none of their closest friends smoked; 3.5% said most of their closest friends smoked and 21.6% said some of them did.

There seemed to be little variation, whether male or female, in the attitude of students towards seeing a man or a woman smoking. However, most students felt that when they saw a man or a woman smoking, they believed that that man or woman lacked confidence. Some felt that they were either stupid or just losers, while some felt the 'macho' for men image and the 'sophisticated' for women image were okay. Only a handful of students attributed success or intelligence to such smokers.

The majority of students 72.5% disagreed that it is safe to smoke for only a year or two as long as you quit after that. Similarly, 65.7% of students thought that the smoke from other people's cigarettes is harmful to you.

Cessation

Students who wanted to stop smoking now represent 10.8% of all the students who responded to this question. During the past year 10.4% students said they have tried to stop smoking; 3.5% made no effort. Those who claimed to have stopped smoking, 4.0% students said they have done so 1 to 3 months ago, 2.9% said 4 to 11 months ago, 2.9% said one year ago, 1.6% said 2 years ago, 11.5% said 3 years or longer, 3.1% said they have not stopped smoking.

Table 6: Percentage of current smokers aged 13 – 15 years who wanted to stop and unsuccessfully tried to stop cigarette smoking – 2000 Guyana GYTS

	Desire to stop	Tried to stop
TOTAL	78.7	81.2
MALE	80.1	85.5
FEMALE	83.9	75.0
Form II	74.6	89.2
Form III	91.9	90.8
FORM IV	79.0	61.9
AGE 12 yrs.	72.5	80.0
13 yrs.	100	100
14 yrs.	84.9	65.0
15 yrs.	63.1	81.5
16 yrs.	100	72.6

The main reason given by 12.8 students for deciding to stop smoking was to improve their health. For others (3.8%) they said they gave up smoking because their family did not like it; 2.2% said they did so to save money while 0.7% said that their friends did not like it.

Some students (13.8%) claimed that they have already stopped smoking cigarettes; 12.8% believed that if they had wanted to stop smoking they could have done so; 9.1% said they tried to stop smoking and found that they could have done it: 13.9% students claimed to have successfully stopped smoking. However, 5.2% students doubted whether they could have exercised that self-control; 4.3% students said they tried but could not quit. Some students (8.9%) said that they tried 1 to 2 times to quit smoking, 5.8% tried 4 or more times.

On the day of the survey, 3.3% students said that was the last time they smoked a cigarette, even one or two puffs; 2.7% said that the last time they smoked was some time in the past week; 1.7% said some time in the past month; 26.9% said more than 6 months ago.

Some 9.9% students said that they have not ever received help or advice to help them stop smoking. However, 4.5% students said they have received such help or advice from a programme or a professional; 3.3% from a friend; 3.7% from a family member; 5.2% from both programme and professionals and from friends and family members as well.

Among current smokers, about 82.1% said that they could have stopped smoking if they want to, 78.7% indicated that they want to stop smoking while 81.2% said they have tried to quit in the past year. Only 32.7% maintained they have smoked 2 or more cigarettes in the past 30 days.

A large number of students (13.7%) said that they did not have or felt like having a cigarette first thing in the morning, but 1.15 said they definitely did have or felt like having that cigarette. No current smoker indicated that they always have or felt like having a cigarette first thing in the morning.

If offered a cigarette by their friend, 90.5% of never smokers would definitely not smoke it. However, 1.6% said they probably would but less than 1% said they definitely would. If offered a cigarette by a friend, 83.5% students said they would refuse it; 15.7% were uncertain but 0.8% said they would definitely smoke it. Among current smokers, 5.4% said they would definitely smoke the cigarette. These were students mainly in Form II and among 13 year olds.

At any time during the next 12 months (1 year), 1.2% students said they would definitely smoke but 82.3% said they would not; 16.4% were uncertain. However, 4.9% current smokers said they would definitely smoke cigarettes 5 years from now.

Media and Advertising

Over a 30-day (1 month) period, 43.4% students said they saw a lot of anti-smoking media messages (e.g. TV, radio, billboards, posters, newspapers, magazines, movies); 37.4% saw a few; 19.2% saw none. In other words, 80.8% students were exposed to anti-smoking media messages of some sort.

Those students who went to sport events, fairs, concerts, community events or social gathering, 16.7% said they saw a lot of anti-smoking messages; 48.7% students saw such messages sometimes, and 21.5% claimed to have never seen any.

Table 7: Percentage of students aged 13 – 15 years who were exposed to anti- and pro-smoking advertising – 2000 Guyana GYTS

	Saw anti-smoking messages on the media	Saw anti-smoking messages at sporting and other events	Saw ads for cigarettes on billboards	Saw ads for cigarettes in newspapers & Magazines	Saw brand names at a sport event or on TV	Saw ads for cigarettes at sport event	Had some object with a cigarette brand logo on it	Cigarettes offered free by tobacco company
TOTAL	80.8	78.5	80.3	79.4	84.2	76.1	17.5	12.6
MALE	80.6	76.3	77.7	75.5	80.6	75.4	20.1	16.4
FEMALE	83.2	80.5	83.4	83.1	88.1	76.3	15.0	9.2
Form II	78.5	82.7	72.1	79.5	74.4	75.8	19.0	16.4
Form III	83.9	79.1	78.3	77.0	83.8	72.3	19.4	13.6
Form IV	81.6	74.4	85.4	81.3	89.2	77.8	14.3	10.1
AGE 12 yrs.	65.8	78.2	75.4	79.1	62.7	74.2	25.5	30.8
13 yrs	76.8	84.3	73.9	75.3	81.2	76.7	22.3	14.3
14 yrs.	85.2	81.5	79.6	77.8	86.7	69.9	15.2	11.3
15 yrs.	83.1	76.8	85.5	86.5	87.6	80.3	16.3	9.4
16 yrs.+	84.1	73.2	81.6	76.3	88.1	76.6	15.7	11.8

Although 9.0% students said that they never watch TV, video or movies, 44.4% students who did watch said they have seen a lot of times when actors smoked cigarettes; 41.4% students sometimes saw actors smoking; 5.2% never did. Generally, cigarette companies promote their products by putting cigarette brand logos on items such as T-shirts, pen, satchel, etc. Many students (17.5%) students said they have such items with a cigarette brand logo on them; 82.5% said that they did not have such items.

Among current smokers, 28.1% had something with cigarette brand logo on it, 10% had never seen brand names on TV, 12.6% saw no cigarette advertisement in newspapers or magazines, 22.1% have never seen cigarette advertisements at sport events. But 36.3% have seen a lot of cigarette advertisement on billboards.

Environmental Tobacco Smoke (ETS)

Over a seven-day period, students were asked to say on how many days have people smoked in their home, in their presence. The majority, 65.7% students, said that at no time anyone had smoked in their homes, in their presence, while 13.5% students said that people have done so for all 7 days. Some 12.9% students believed that persons have smoked 1 or 2 days, 4.7% witnessed

smoking on 3 or 4 days, and 3.2% on 5 or 6 days. It means that 34.3% students were exposed to other people's smoke in their own (students') homes, in their presence.

The majority of students (62.3%) were again exposed to other people's cigarette smoke in places other than in their own homes.

Most students (75.1%) are in favour of banning smoking in public places, such as, in restaurants, in buses, among commuters, in schools, on playgrounds, in gyms and sport areas, and in discos.

Table 8: Percentage of students aged 13 – 15 years who were exposed to tobacco smoke in the home and other places – 2000 Guyana GYTS

	% of others who smoke in the student's home	% exposed to smoke from persons in other places	% who definitely think smoke from others is harmful to them	% who think smoking should be banned in public places
TOTAL	34.3	62.3	65.7	75.1
MALE	40.6	61.7	60.0	72.0
FEMALE	27.1	62.2	70.5	78.8
Form II	30.5	57.4	51.0	69.6
Form III	35.3	58.2	65.6	69.8
Form IV	32.7	68.1	74.6	82.1
AGE 12 yrs.	42.4	66.3	43.2	66.7
13 yrs.	28.8	60.8	54.2	72.4
14 yrs.	33.0	55.7	66.7	72.6
15 yrs.	31.6	65.7	74.0	80.9
16 yrs. +	38.0	68.8	70.4	73.6

Most students (83.1%) believed that a person who smokes around others should ask permission. But, even if they did ask permission, 83.7% said they would not give it.

School Curriculum

Questions were asked whether students were taught in any of their classes about the dangers of smoking and while 45.9% said it was done, 38.6% disagreed. When asked if they discussed in class the reasons why people their age smoke, 54.1% said it was not done. While 47.2% said they were taught in classes about the effects of smoking (like it makes your teeth yellow, causes wrinkles or make you smell bad), 40.9% disagreed.

Table 9: Percentage of students aged 13 – 15 years who were taught the facts about tobacco smoking during the past school year – 2000 Guyana GYTS

	Dangers of smoking taught in class	Reasons why people your age smoke discussed in class	Effects of tobacco use taught in class
TOTAL	46.0	31.5	47.2
MALE	39.5	32.4	48.0
FEMALE	52.5	31.2	48.1
Form II	44.0	34.3	48.5
Form III	44.9	29.6	46.9
Form IV	48.8	32.4	46.0
AGE 12 yrs.	36.0	44.3	40.2
13 yrs.	47.0	28.1	47.9
14 yrs.	47.7	34.6	51.2
15 yrs.	42.5	29.2	43.1
16 yrs.	53.8	28.3	51.3

About 23% students said that this term (at the time of the survey) they discussed smoking and health as a part of a lesson: 15.5% said that this was done the previous term, 7.6% said it was two terms ago, 4.4% said it was three terms ago while 12.2% said it was more than a year ago. On the other hand, 37.8% said that such lesson was never done.

Community Response

During the past year, 62.3% students said they heard from youth groups discouraging young people their own age from smoking but 37.2% said that this was not so. About 53% students said health professionals explained to them why smoking is dangerous to their health but about 47% said that this was not so. When 61.4% said that religious organization discouraged young people their own age from smoking, 38.6% denied this.